

KEITH HUBER – EQ # 15679

PRODUCT DESCRIPTION

Keith Huber Berringer DOT Liquid Ring

STANDARD OPTIONS

ASME and DOT 412 with dual isolation valve
20" top manway
Tank mounted full length walkway
Cabinet lights
Rear hose hoods
Hydraulic vibrator

FEATURES

Tank Capacity of 3,300 gallons
Single compartment code carbon steel tank with 5/16" shell material rated for 15 PSI working pressure
Anti-surge baffles inside waste tank resists surging during starting and stopping
The tank is mounted independent of the body secured to the body with a 3-point mounting system
Tank lift powered by a 3 stage double acting hydraulic cylinder mounted to the front head
Tank primary shut off system with a 10" stainless steel float ball is located in the rear top center of the tank
The rear liquid level assembly includes a dual seal bushing with Viton o-ring seal and is replaceable from the outside of the tank
Hydraulic operated full opening rear door with integrated safety cylinder valve
Dual 4" intake valve angled (air NVE, manual NVE)
Dual 6" discharge valve (Air Betts, manual Betts)
Safety prop bars; Rear door and tank
1180 CFM liquid ring vacuum/pressure pump with deep vacuum capabilities Predominantly a wet-vac, but does have ability to pull some dry
Average dBA of 86

FEATURES – Cont.

Power to run the vacuum pump is provided by a PTO driven hydraulic system
Vacuum pump exhaust system: 6" camlock hose connection for "down-winding"
Vacuum system incorporates one 6" cyclone
Systems controls inside a Nema 4 waterproof electrical box
Tandem axle body
Rear bumper with center swing out and removal gratings for easy cleaning
56"x28"x30" storage cabinet integrated into the Subframe on the passenger side
Rear mounted grounding reel
Back-up alarm
LED rear work lights
LED rear and side marker lights

PAINT

Tank and Body – Standard White

CHASSIS

2019 Peterbilt 348 Tandem Axle Chassis, Paccar PX-9, 350 HP Engine, Allison 3000 RDS-P Automatic Transmission

KEITH HUBER – EQ # 15679

