



EQ# 23529 - 2100i Combination Sewer Cleaner

PRODUCT DESCRIPTION

- 2100i with Roots 824-18" Hg. Blower, 15 Yard Debris body, 1500 Gallons of Fresh Water

STANDARD FEATURES

- 48" x 22" x 24" Curb Side Aluminum Toolbox
- Aluminum Fenders
- Mud Flaps
- Electric/Hydraulic Four Way Boom
- Color Coded Sealed Electrical System
- Remote Pendant Control w/35' Cord
- Intuitouch Electronic Package
- Double Acting Dump Hoist Cylinder
- Handgun Assembly w/35' x 1/2" Hose w/Quick Disconnects
- 3" Y-Strainer at Water Pump Inlet
- Ex-Ten Steel Cylindrical Debris Tank
- Flexible Hose Guide
- 30 Deg. Sand Nozzle w/Carbide Inserts
- 30 Deg. Sanitary Nozzle w/Carbide Inserts
- 15 Deg. Penetrator Nozzle w/Carbide Inserts
- Nozzle Storage Rack
- Vacuum Tube Storage: Curbside (2) Pipe, Rear Door (2) Pipe
- 1" Nozzle
- 10' Leader Hose
- Flat Rear Door w/Hydraulic Locks and Door Power-up/Down, Open/Close Feature
- Dual 10" Stainless Steel Float Shut Off System/Rear Mounted
- Debris Body Vacuum Relief System
- Debris Deflector Plate
- 60" Dump Height
- Water Sight Gauge DS/PS
- Liquid Float Level Indicator

- Boom Transport Post Storage
- 3" Y-Strainer @ Water Pump w/3" Drain Valve
- Performance Package: (Hyd Variable Flow, Dual PTO's. Dual Hyd. Pumps)
- 1" Water Relief Valve for Vactor Water Pump
- Stainless Steel Microstrainer
- Blower Air Shift Controls
- Hydraulic Cooling Package
- Midship Handgun Coupling
- Side Mounted Water Pump
- Hose Wind Guide (Dual Roller)
- Hose Reel Manual Hyd. Extend/Retract
- Hose Reel Chain Cover (Full)
- Tachometer/Chassis Engine W/Hourmeter
- Circuit Breakers
- LED Lights. Clearance, Back-Up, Stop, Tail & Turn
- Tow Hooks, Front and Rear
- Electronic Back-Up Alarm
- Hydraulic Tank Shutoff Valves
- 8" Vacuum Pipe Package
- Emergency Flare Kit
- Fire Extinguisher 5 Lbs.
- Fixed Rear Door Pipe Rack, 8" Pipe
- Low Water Alarm with Water Pump Flow Indicator
- Front Joystick Boom Control
- Rodder System Accumulator- Jack Hammer on/off control w/ manual valve
- Digital Hose Footage Counter
- Water Pump Hour Meter
- PTO Hour Meter
- Camera System, Rear Only
- Hydraulic Oil Temp Alarm
- Digital Water Pressure Gauge
- Chassis Modifications

ADDITIONAL FEATURES

- Roots 824-18" Hg. Blower
- 180 Degree Rotation, 10 Ft. Hydraulic Telescoping Boom, Front Loading 8" Suction Hose
- 80 GPM Variable Flow Water System
- 2500 PSI Water Pressure
- 1" x 600' Piranha Sewer Hose, 2500 PSI
- Hydraulic Extending/Rotating 15" Hose Reel (1" x 800') Capacity
- Module Paint, Dupont Imron Elite - Sanded Primer Base
- Debris Body Flush Out System
- 6" Knife Valve w/Cam-Loc, Rear Door, 3:00 Position
- Pump Off Ports and Programming

CUSTOMER INITIALS: _____

- Internal Body Screen with Pump Off Ports Only
- Full Rear Door Swinging Screen
- Centrifugal Separators
- Folding Pipe Rack, Curbside, 8" Pipe
- Folding Pipe Rack, Streetside, 8" Pipe
- Rear Door Splash Shield
- Lube Manifold
- Plastic Lube Chart
- Debris Body Inspection Port w/Ladder
- Air Purge
- Hot Shift Blower Drive
- Wireless Controls, including hose reel controls
- Rotatable Boom Inlet Hose, Telescoping Boom
- Cold Weather Recirculator, PTO Driven, 25 GPM
- Handgun Couplers, Front and Rear
- Cyclone Washout System
- Rodder Hose Pinch Roller
- High Pressured Hose Reel
- Rodder Pump Drain Valves
- Rear Directional Control, LED Arrowstick
- Waterproof, Rechargeable, Wireless, Handheld, LED Spot Light w/12V Charger and Plug
- Rear Mounted, LED Beacon Light
- 14 Lighting Package, 14 Federal Signal Strobe Lights, LED
- LED Mid-Ship Turn Signals
- Worklights (2), LED, Telescoping Boom
- Toolbox, Front Bumper Mounted, 16 x 12 x 18 w/(2) LED Side Markers
- Toolbox, Behind Cab
- Toolbox, Driver Side Chassis Frame, 24w x 24h x 24d
- Toolbox, Passenger Side Chassis Frame, 30w x 18h x 24d
- Toolbox, Driver Side Subframe, 18w x 24h x 24d
- Safety Cone Storage Rack - Post Style
- Digital Water Level Indicator
- Digital Debris Body Level Indicator
- Blower High Temperature Safety Shutdown
- Vactor Supplied Chassis, Tandem Axle, 2022 Peterbilt 348 SBA, 370 HP, Auto, 66,000 GVWR, 2013 Emissions
- Vactor Standard Manual and USB Version - 1
- Hydroexcavation Kit:
 - 50' x 1/2" Hose Reel Spring Loaded-Mountd curbside Midship
 - 50' of 1/2" psi hose with 10,000psi Burst pressure
 - Earth Quaker plus excavation gun with 3' extension
 - Nozzle Package to include:
 - Rotating/spinner nozzle (turbo nozzle)
 - 2 Tip low flow nozzle
 - 3 Tip high flow nozzle
 - Adjustable through mult-flow from 2-23 gpm

CUSTOMER INITIALS: _____

SPECIALITY FEATURES

- 3" Trash Pump

PAINT

- Module Paint, Dupont Imron Elite - Sanded Primer Base
- Module Paint Color: White
- Cab Color: White
- Vactor 2100i Body Decal - Navy Blue

CHASSIS

2022 Peterbilt 348 SBA, 370 HP, Auto, 66,000 GVWR, GHG

CUSTOMER INITIALS: _____