



EQ# 27433 - 2100i Combination Sewer Cleaner
S/N: 19-01V-18046 (Porter County Trade-In Unit)

PRODUCT DESCRIPTION

- 2100i with Single Engine Dual Stage Fan, 15 Yard Debris Body, 1500 Gallons of Fresh Water

STANDARD FEATURES

- 24" x 26" x 69" Curb Side Aluminum Toolbox
- Aluminum Fenders
- Mud Flaps
- Electric/Hydraulic Four Way Boom
- Color Coded Sealed Electrical System
- Intuitouch Electronic Package
- Double Acting Dump Hoist Cylinder
- 3" Y-Strainer at Water Pump Inlet
- Ex-Ten Steel Cylindrical Debris Tank
- Nozzle Storage Rack
- Vacuum Tube Storage: Curbside (2) Pipe, Rear Door (2) Pipe
- 1" Nozzle
- 10' Leader Hose
- Flat Rear Door w/Hydraulic Locks and Door Power-up/Down, Open/Close Feature
- Dual 10" Stainless Steel Float Shut Off System/Rear Mounted
- Debris Body Vacuum Relief System
- Debris Deflector Plate
- 60" Dump Height
- Water Sight Gauge DS/PS
- Liquid Float Level Indicator
- Boom Transport Post Storage

- 2000 PSI Water Pressure
- 3" Y-Strainer @ Water Pump w/3" Drain Valve
- Performance Package: (Hyd Variable Flow, Dual PTO's. Dual Hyd. Pumps)
- 1" Water Relief Valve for Vactor Water Pump
- Midship Handgun Coupling
- Side Mounted Water Pump
- Hose Wind Guide (Dual Roller)
- Hose Footage Counter - Mechanical
- Hose Reel Manual Hyd. Extend/Retract
- Hose Reel Chain Cover (Full)
- Tachometer/Chassis Engine W/Hourmeter
- Circuit Breakers
- LED Lights. Clearance, Back-Up, Stop, Tail & Turn
- Tow Hooks, Front and Rear
- Electronic Back-Up Alarm
- Hydraulic Tank Shutoff Valves
- 8" Vacuum Pipe Package
- Low Water Indicator on Screen w/ Alarm and Water Pump Flow Indicator
- Front Joystick Boom Control
- Digital Hose Footage Counter
- Water Pump Hour Meter
- PTO Hour Meter
- Camera System, Rear Only
- Digital Water Pressure Gauge

ADDITIONAL FEATURES

- 180 Degree Rotation, 10 Ft. Hydraulic Telescoping Boom, Front Loading 8" Suction Hose
- 100 GPM Variable Flow Water System
- 1" x 600' Piranha Sewer Hose, 2500 PSI
- Hydraulic Extending/Rotating 15" Hose Reel (1" x 800') Capacity
- Debris Body Flush Out System
- 6" Knife Valve w/Cam-Loc, Rear Door, 3:00 Position
- Pump Off Ports and Programming
- Internal Body Screen with Pump Off Ports Only
- Centrifugal Separators
- Folding Pipe Rack, Curbside
- Folding Pipe Rack, Streetside
- Rear Door Splash Shield
- Lube Manifold
- Plastic Lube Chart
- Air Purge
- Wireless Controls, including hose reel controls
- Rotatable Boom Inlet Hose, Telescoping Boom
- Cold Weather Recirculator, PTO Driven, 25 GPM

- Rodder System Accumulator- Jack Hammer on/off control w/ manual valve
- Hydro Excavation Kit/Retract Reel w/1/2" X 50' Hose and Nozzle
- Automatic Hose Level Wind Guide, Indexing
- Fan Flushout System
- Hydraulic Oil Temp Alarm
- Rear Directional Control, Signal Master LED Arrow Stick, 8 Lights
- Brackets and Wiring for Customer Installed Strobe/Revolving Light, Rear
- LED Mid-Ship Turn Signals
- Worklights (2), LED, Telescoping Boom
- Toolbox, Front Bumper Mounted, 16 x 12 x 18 w/(2) LED Side Markers
- Toolbox, Behind Cab
- Toolbox, Driver Side Chassis Frame, 24w x 24h x 24d
- Toolbox, Driver Side Subframe, 60w x 20h x 12d
- Safety Cone Storage Rack - Post Style
- Digital Water Level Indicator

PAINT

- Module Paint, Dupont Imron Elite - Sanded Primer Base
- Module Paint Color: White
- Cab Color: White

CHASSIS

- 2019 Freightliner 114SD Tandem Axle Chassis, Cummins L9 370HP Engine, Allison 3000RDS Automatic Transmission